



# The Xerox<sup>®</sup> Wide Format 6622 Solution<sup>™</sup>

Delivering fast, high-volume,  
high-image quality on  
a large scale—easily

# Quality, speed and ease of use streamline your wide format workflow

## Wide format speed. Traditionally, it's measured in copies or prints

**per minute.** The Xerox® Wide Format 6622 Solution™ has that covered, with impressive 22 D/A1 print speeds. But these days speed means more, such as, how quickly and easily you can input your job—and getting the results you want the first time. It means being able to quickly scan an image and send it to any device, anywhere. It means streamlining your workflow; meeting deadlines; keeping up and running. Speed equals productivity. And productivity, combined with outstanding image quality, equals the Xerox 6622.

Whether you run a centralized reprographics department or a print-for-pay environment, the Xerox 6622 is the small footprint, high-volume workhorse to help you do more, faster, better and wider than before. The easy-to-use 15" (381 mm) color touch screen features a straightforward interface with intuitive menus.

The screen's scan preview capabilities help you avoid wasted prints by enabling you to preview scan quality before you leave the scanner or scan the next original. With a fast RIP that processes complex jobs at top speed and a wider output size range—from 8.5" x 11" up to 36" x 20"—you can produce a broader range of high-quality, finely detailed wide format jobs.

## The total support you need

We support your entire solution, from printer to media and consumables. Our worldwide network of award-winning service professionals is always ready to help you make the most of your Xerox solution and help you grow your business.

Our guarantee is the leader in the industry. The Xerox Total Satisfaction Guarantee applies to equipment under a Xerox warranty or Xerox maintenance agreement, subject to certain restrictions.



6622 with Folder



6622 with High Capacity Stacker



6622 with Output Tray

# Technology you can rely on



Simple, intuitive menus to maximize the productivity of any workflow.



Integrated FreeFlow Accxes Print Server and print driver deliver production-level performance.



A small footprint and rear-exit paper path lets you put the 6622 where you need it.



Color 600 dpi scanner to enable remote color workflows.



Scan-to-mailbox, net or remote printer options are available.



The 6622 is upgradeable, allowing you to enhance features and performance.

## Productivity now and into your future

Your investment in the Xerox® Wide Format 6622 Solution™ is an investment in your future—the Xerox 6622 is easily upgradeable to enable different workflows and functionality as your business and technology evolve.

All of our wide format solutions are designed with our commitment to environmental sustainability in mind. For example, the Xerox 6622 was manufactured according to ISO 14001 Environmental Management Standards; it meets RoHS requirements in all markets; we use organic photoreceptors; and our dry toners are non-toxic, and do not generate hazardous waste.

## Sharp images

The Xerox 6622 delivers superior image quality with crisp 600 x 1800 dpi printing. So even your most complex monochrome prints—including engineering and architectural renderings and schematics—can have sharp, precise detail and uniform grey scales and solids, print after print.

The Xerox 6622's on-board color-capable scanner provides 600 x 600 dpi scanning that can capture images in a range of file formats, such as TIFF and PDF, which can be stored or sent from printer to workstation via your network.

## FreeFlow® Accxes® Print Server—productivity you've come to expect

FreeFlow Accxes Print Server gives you the high production performance you have come to expect from Xerox, making the Xerox Wide Format 6622 Solution versatile to fit your needs. FreeFlow Accxes Print Server gives you the ability to:

Receive and RIP a job, print, copy or scan, retrieve scans and view the Web Printer Management Tool simultaneously. Utilize tools like the Document Submission Tool that make printing complex jobs, scanning and system administration simple. Automatically copy or print any image onto any loaded paper. Reprint and resize copy jobs without rescanning. Print a portion of an image for validation without printing the entire print.

The overwrite image option enables image files to be automatically erased for security. Gain even more efficiency with:

- **InstantAccxes**—Drag and drop documents into Hot Folders for a streamlined workflow from anywhere on the network.
- **TotalAccxes**—Scan documents using the on-board color scanner and print to a selected remote printer.

And new to the Xerox 6622 is:

- **Color Calibration**—Allows for quality scans, to a range of remote printers.
- **Scan preview**—Scanned jobs are immediately viewable preventing any scanning errors and potentially wasted prints.
- **Queue Management**—Allows for greater job control and workflow efficiencies.

## Range of stacking and finishing options

The Xerox 6622 gives you ultimate control of your output, with a choice of optional Print Catch Tray, High Capacity Stacker and Inline Folder. An optional Scanner Catch Tray is available to hold your originals after they pass through the scanner.

# Specifications for the Xerox® Wide Format 6622 Solution™

## Print Engine

### Process/Imaging

- Xerographic LED

### Photoreceptor

- Organic

### Media Supply

- 4 rolls, 500 ft.
- Cut sheet: single sheet up to 36" x 48"; 24" x 18" and smaller up to 50 sheets
- Cut sheet supports printer only with standard ISO, ANSI and ARCH sizes

### Media Type

- Bond, 20 lb. and 24 lb.
- Vellum, 20 lb.
- Film, 4 mil

### Output Size

- Minimum: 8.5" x 11"
- Maximum: 36" x 20"

### Resolution

- 600 x 1800 dpi

### Process Speed

- 9.4 ips

### Throughput

- Up to 22 ANSI/20 ARCH D's, 11 ANSI/10

### Power Requirements

- 50/60 Hz single phase; 230 +/- 10%
- 16 Amp

### Weight

- Approx. 968 lbs.

### Dimensions

- W 54" x H 37" x 39"

### Finishing

- Optional—Catch Tray—50 ARCH/100 D/A1
- Optional—Online Folder
- Optional—High Capacity Stacker
- Generic Finishing Interface

### Safety Certifications

- ENERGY STAR compliant, see product documentation for more information.

## On-Board Scanner System

### Scanner Speed

- Monochrome Scanning: 6 ips (152.4 mm/sec.) max
- Color Scanning: 2 ips (50.8 mm/sec.) max

### Scanner Resolution

- 600 dpi

### Grey Scale Scans

- Monochrome, 1 bit
- Grey, 8 bit
- Color, 24 bit

### Maximum Document Input Size

- 37.2" (945 mm) width x 49.2' (15 m) (monochrome input)
- 37.2" (945 mm) width x 24' (7.5 m) (color input)
- 36" (914.4 mm) width (image area)

### Maximum Document Thickness

- 0.5" (12.7 mm)

### Registration

- Right side

### Electronic Collation

- 999

### Finishing

- Turn around Baffles (standard)
- Document Output Tray (optional)

## FreeFlow® Accxes® Print Server

### Internal

- Memory 3 GB or better
- Hard Disk Drive 160 GB or better
- Optional 80 GB Removable Hard Drive

### Ports

- Ethernet 10/100/1000 Base T, (scanner)
- Serial RS232 (service)
- USB 2.0 (device interface)

### Network Protocols

- TCP/IP, LPR

## Data Formats

- Standard: HP-GL HP-GL/2 HP-RTL (HP 750C emulation), TIFF 6.0 (including LZW), JPEG, C4, CALS 1&2, CalComp 906/907/951/PCI, CGM (Level 1 with ATA ext.), FileNET®, NIRS/NIFF, VCGL, VRF, Versatec Data Standards (Ordered Vector, Blocked Raster, Compact Raster)
- Optional: Adobe® PostScript® 3™, PDF (v1.7), DWF (v6.0), BMP, JPEG 2000, PNG, GIF, DGN

## Job Accounting (optional)

- Scan/Copy and Print Accounting

## Image Overwrite (optional)

- Erases data for added security

## Applications

- FreeFlow Accxes Document Submission
- FreeFlow Accxes Document Retrieval Tool
- Web Printer Management Tool
- Account Management Tool

## Features

- Concurrent print, copy and scan-to-net (with select options)
- InstantAccxes (Hot Folder submission)
- TotalAccxes (print to remote printer)
- Scan to multipage PDF (with select options)
- Scan to multipage TIFF (with select options)

## Printer Drivers

- Both 32 bit and 64 bit (x64) versions of Windows® XP, Windows Vista®, Windows Server® 2003, Windows Server® 2008, Windows 7

## Optional Printer Drivers

- Adobe® PostScript® 3™ for both 32 bit and 64 bit ((x64) versions of Windows® XP, Windows Vista®, Windows Server® 2003, Windows Server® 2008, Windows 7

## Space Requirements

- See print engine specifications. Actual space requirements vary based on configuration.

Your nearest Xerox-authorized  
wide format reseller is:

